LOUTE TOTAL	M.S.D.	ERIAL SAFE S. Prepared to Izard Commun 29 CFR 1	comply with C	D.S.H.A.	HAZARD RAT 0 = Insignifica 1 = Slight 2 = Moderate 3 = High 4 = Extreme	ant I	Health Fire Reactivity	2 3 0
PROD NAME: ISOPROPYL ALCOHOL			Prod No.: 481		Date Re	Date Revised: 7/2004		
SECTION I: MANUFACTU								
Manufactured By: LAWTON B	EMERGENCY PHONE NO.: INFOTRAC 1-800-535-5053							
Street Address: 2515 Dinneen Ave.			Information Phone No.: 1-407-291-2501					
Mailing Address: P.O. Box 547635			Product Type: ORGANIC SOLVENT					
City/State/Zip Orlando, FL. 32854-7635			Formula Type: ALCOHOL					
SECTION II: HAZARDOU	S INGREDIE	NT INFORMA	TION					
HAZARDOUS COMPONENTS		C.A.S. REG NOS.		OSHA PE	L ACGIH	CGIH TLV WT.% MA		MAX
ISOPROPYL ALCOHOL		67-63-0		400 ppm	400 pp	om	100.00	
HAZARDOUS COMPONENTS LISTED ARE SUBJECT TO REPORTING REQUIREMENTS OF SECTION 313 OF SARA TITLE III AND 40 CFR PART 372.								
SECTION III: PHYSICAL	AND CHEMIC	CAL PROPER	TIES					
Boiling Point: 180ºF INITIAL	Evaporation Rate BuAc=1:		Viscosity:	WATER THI	Ċ	Specific Gravity:	ty:	
Freezing Point: NA	Vapor Density Air=1:	2.1	Solubility in H ₂ O:	MISCIBLE	рН 🤇	@ 25ºC:	N	A
Appearance and odor:								
SECTION IV: FIRE AND I								
Flash Point (method used): 55ºF TCC				Flammable Lin		2.5 @79 º F	UEL	12.1 @151 º F
Extinguishing Media: FLAMMABLE LIQUID, USE WATER FOG, FOAM, CO ₂ , OR DRY CHEMICAL.								
Special Fire Fighting Procedure:	PRESSURE NIO CONTAINERS W	SH APPROVED SE 'ITH WATER.	ELF CONTAINED E	BREATHING A	PPARATUS. (
Unusual Fire & Explosion Hazards:		QUID. KEEP AWAY	FROM HEAT, SP	ARKS AND O	PEN FLAME.			
SECTION V: REACTIVITY DATA								
Stability: STABLE Incompatibility: DO NOT MIX WITH ANY OTHER CHEMICALS NOT RECOMMENDED ON LABEL. Hazardous Decomposition Products (thermal): ORGANIC ACIDS AND OXIDES OF CARBON.								
· · · · · · · · · · · · · · · · · · ·					ENTAL CO	ΟΝΤΔ	СТ	
SECTION VI: HEALTH HAZARDS, SIGNS OF OVEREXPOSURE OR ACCIDENTAL CONTACT Eyes: MAY CAUSE CORNEAL DAMAGE.								
Skin: REPEATED CONTACT MAY CAUSE IRRITATION OR DERMATITIS.								
Inhalation: OVEREXPOSURE CAN CAUSE LIVER AND KIDNEY INJURY. DIZZINESS, HEADACHE AND NAUSEA MAY BE SYMPTOMATIC.								
Swallowing: STOMACH PAIN, DIZZINESS, HEADACHE AND NAUSEA MAY BE SYMPTOMATIC. INGESTION OF EXCESSIVE AMOUNTS MAY RESULT IN CENTRAL NERVOUS SYSTEM DEPRESSION AND DEATH MAY OCCUR. IF VOMITING, ASPIRATION INTO THE LUNGS MAY RESULT IN ASPIRATION PNEUMONITIS.								
Carcinogenicity: THIS PRODUCT IS NOT A SUSPECTED CARCINOGEN BASED ON COMPONENT DATA.								
SECTION VII: EMERGEN	ICY FIRST AI	D PROCEDU	RES					
Eyes: FLUSH WITH		R 15 MINUTES. G	ET IMMEDIATE N	IEDICAL HELI	D.			
Skin: RINSE WITH WATER. Inhalation: FOR OVEREXPOSURE, REMOVE FROM AFFECTED AREA. IF SYMPTOMS PERSIST, GET MEDICAL HELP.								
Swallowing: DO NOT INDUCE VOMITING. GET IMMEDIATE MEDICAL HELP.								
SECTION VIII: PERSONA								
Protective Equipment: IT IS RECOMMENDED TO WEAR RUBBER GLOVES AND PROTECTIVE EYEWEAR WHEN USING THIS OR ANY CHEMICAL CLEANING PRODUCT. IF SPRAY APPLYING, VENTILATION AND BREATHING PROTECTION IS RECOMMENDED.								
SECTION IX: SPILL OR I								
If Spilled or Released: MOP UP OR USE ABSORBENT SWEEPING COMPOUND. PROPERLY CONTAIN WASTE.								
Waste Disposal Method: DISPOSAL SHOULD BE IN ACCORDANCE WITH STATE AND FEDERAL WASTE DISPOSAL LAWS.								
SECTION X: STORAGE AND HANDLING INFORMATION								
STORE IN ORIGINAL CLOSED CONTAINER IN COOL AREA. KEEP OUT OF REACH OF CHILDREN.								
SECTION XI: D.O.T. HAZ			IG NAME					
Hazard Class: Proper Shipping Name:	FLAMMABLE LIC		N 1993, II (CONTA	INS ISOPROP	YL ALCOHOL))		